



- TERRACOTTA
- QUARRY TILES
- CONCRETE
- NATURAL STONE
AGGLOMERATES
TUMBLED MARBLE
GRANITE
PEBBLES AND
COBBLESTONES
- PLASTIC
LAMINATES

WHAT IT'S FOR

- For floor maintenance and opaque-finish treatment of terracotta, quarry tile, tumbled marble and natural stone floors
- The ideal finishing coat after the application of a water-based sealer

ADVANTAGES

- Gives a highly authentic natural look
- Highly concentrated: can be diluted according to requirements
- When polished, it gives an attractive satin look
- Completely removable
- Its consistency means it is effectively self-levelling

HOW IT'S USED

Dilution: for treatment phases it is advisable to dilute FilaMatt by adding a glass of water to the bucket.

Application:
Apply undiluted with a cloth or fleece. Leave to dry (about 1 hour) and then apply a second coat at right-angles to the first. The floor can be walked over after one hour.

Maintenance:
the product can be used undiluted to reduce the gloss of a previous treatment, or diluted by the wash n'wax method (2-3 glasses of the product per bucket of washing water).



COVERAGE

With one litre:

| | |
|------------|-------------------|
| Terracotta | 20 m ² |
| Stone | 50 m ² |

"Coverage rates are approximate and refer to a single coat of the product"

Packaging

1 litre flasks in box of 12.
5 litre flasks in box of 4

PRECAUTIONS

- Store at room temperature; product not frost resistant in container.
- This wax can be removed using Fila PS/87, our specific wax remover for water-based wax.

COMPOSITION

Aqueous emulsion of hard waxes and polymers with addition of matting agent and other appropriate additives.

LABELLING

No risk or safety labels or warnings are required since the product is not classified as hazardous under current regulations.

TECHNICAL INFORMATION

Appearance: milky white liquid
Odour: flowery
Density: 0.980 kg/litre
pH: 8,0

*The information above reflects our latest technical know-how and is the outcome of ongoing laboratory research and testing. However, some factors are beyond our control. It is essential to integrate our suggestions with your own on-site preliminary tests and check.
Fila accepts no liability for improper use of its products.*